









































































Magfine

























Japan +81 022 281 3956 Miyagi Sendai-shi Taihaku-ku Moniwa-aza-hitokitanishi 111-10 Japan 982-0251
Italia +39 0566 53094 Via del Fonditore, 806, 58022 Follonica (GR) Italia
























Copyright © Magfine Corporation. Published 2018 February

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	FD0029	Anisotropic Ferrite	Φ3mmX6mm	135.2mT	0.038kgf
	FD0007	Anisotropic Ferrite	Φ5mmX1.5mm	81.7mT	0.037kgf
	FD0011	Anisotropic Ferrite	Φ5mmX2mm	99.2mT	0.044kgf
	FD0012	Anisotropic Ferrite	Φ5mmX3mm	122mT	0.067kgf
	FD0025	Anisotropic Ferrite	Φ6mmX2mm	92.7mT	0.056kgf
	FD0030	Anisotropic Ferrite	Φ6mmX4mm	133.6mT	0.105kgf
	FD0013	Anisotropic Ferrite	Φ8mmX3mm	104.6mT	0.105kgf
	FD0032	Anisotropic Ferrite	Φ8mmX5mm	136.1mT	0.179kgf
	FD0015	Anisotropic Ferrite	Φ10mmX3mm	92.2mT	0.151kgf
	FD0016	Anisotropic Ferrite	Φ10mmX5mm	126.7mT	0.229kgf
	FD0033	Anisotropic Ferrite	Φ10mmX6mm	137.6mT	0.271kgf
	FD0027	Anisotropic Ferrite	Φ10mmX10mm	160.2mT	0.367kgf
	FD0035	Anisotropic Ferrite	Φ12mmX5mm	117.6mT	0.271kgf
	FD0036	Anisotropic Ferrite	Φ13mmX4mm	97.4mT	0.26kgf
	FD0037	Anisotropic Ferrite	Φ15mmX3mm	69.9mT	0.26kgf
	FD0005	Anisotropic Ferrite	Φ15mmX4mm	88.6mT	0.323kgf
	FD0006	Anisotropic Ferrite	Φ15mmX8mm	137.4mT	0.55kgf
	FD0006N	Anisotropic Ferrite	Φ15mmX8mm N Pole Marking	137.4mT	0.55kgf
	FD0023	Anisotropic Ferrite	Φ17mmX3mm	63.2mT	0.297kgf
	FD0002	Anisotropic Ferrite	Φ18mmX8.5mm	131.3mT	0.702kgf
	FD0008	Anisotropic Ferrite	Φ20mmX3mm	55.7mT	0.347kgf
	FD0018	Anisotropic Ferrite	Φ20mmX4mm	71.9mT	0.466kgf
	FD0010	Anisotropic Ferrite	Φ20mmX5mm	86.6mT	0.555kgf
	FD0039	Anisotropic Ferrite	Φ20mmX6mm	99.7mT	0.614kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	FD0022	Anisotropic Ferrite	Φ20mmX10mm	137mT	0.919kgf
	FD0040	Anisotropic Ferrite	Φ22mmX10mm	131.1mT	1kgf
	FD0001	Anisotropic Ferrite	Φ24mmX10mm	124.8mT	1.08kgf
	FD0003	Anisotropic Ferrite	Φ24.6mmX7mm	96.4mT	0.911kgf
	FD0021	Anisotropic Ferrite	Φ25mmX4mm	59.4mT	0.588kgf
	FD0041	Anisotropic Ferrite	Φ25mmX8mm	105.1mT	0.991kgf
	FD0019	Anisotropic Ferrite	Φ30mmX5mm	61.6mT	0.892kgf
	FD0004	Anisotropic Ferrite	Φ30mmX6.5mm	77.5mT	1.14kgf
	FD0043	Anisotropic Ferrite	Φ30mmX8mm	91.7mT	1.31kgf
	FD0020	Anisotropic Ferrite	Φ30mmX10mm	108.1mT	1.45kgf
	FD0044	Anisotropic Ferrite	Φ30mmX11mm	115.3mT	1.48kgf
	FD0045	Anisotropic Ferrite	Φ30mmX15mm	137.8mT	2.06kgf
	FD0046	Anisotropic Ferrite	Φ38mmX10mm	90.8mT	2.12kgf
	FD0048	Anisotropic Ferrite	Φ38mmX14mm	115.6mT	2.4kgf
	FD0050	Anisotropic Ferrite	Φ38mmX15mm	120.8mT	2.54kgf
	FD0014	Anisotropic Ferrite	Φ40mmX5mm	47.2mT	1.15kgf
	FD0047	Anisotropic Ferrite	Φ50mmX5mm	38.2mT	1.36kgf
	FD0049	Anisotropic Ferrite	Φ50mmX10mm	72.4mT	3.04kgf
	FD0024	Anisotropic Ferrite	Φ60mmX20mm	108.1mT	6.02kgf
	FD0051	Anisotropic Ferrite	Φ80mmX20mm	87.2mT	9.64kgf
	FR0010	Anisotropic Ferrite	Φ13.5mmXΦ5mmX2mm	85mT	0.133kgf
	FR0026	Anisotropic Ferrite	Φ16mmXΦ7mmX5mm	125mT	0.321kgf
	FR0027	Anisotropic Ferrite	Φ19mmXΦ7mmX10mm	155mT	0.753kgf
	FR0028	Anisotropic Ferrite	Φ20mmXΦ10mmX3mm	95mT	0.26kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	FR0029	Anisotropic Ferrite	Φ21mmXΦ13mmX5mm	118mT	0.365kgf
	FR0011	Anisotropic Ferrite	Φ25mmXΦ8mmX6mm	115mT	0.762kgf
	FR0003	Anisotropic Ferrite	Φ25.5mmXΦ13mmX7mm	129mT	0.712kgf
	FR0012	Anisotropic Ferrite	Φ29mmXΦ10mmX3.5mm	80mT	0.501kgf
	FR0036	Anisotropic Ferrite	Φ30mmXΦ10mmX10mm	131mT	1.29kgf
	FR0013	Anisotropic Ferrite	Φ30mmXΦ12mmX5mm	100mT	0.749kgf
	FR0030	Anisotropic Ferrite	Φ30mmXΦ13mmX5mm	95mT	0.724kgf
	FR0023	Anisotropic Ferrite	Φ32mmXΦ8mmX5mm	85mT	0.89kgf
	FR0034	Anisotropic Ferrite	Φ37mmXΦ14mmX6mm	96mT	1.14kgf
	FR0004	Anisotropic Ferrite	Φ37mmXΦ22mmX6.5mm	119.5mT	0.936kgf
	FR0031	Anisotropic Ferrite	Φ38mmXΦ14mmX6mm	95mT	1.18kgf
	FR0037	Anisotropic Ferrite	Φ45mmXΦ22mmX11mm	128.9mT	3.4kgf
	FR0035	Anisotropic Ferrite	Φ45mmXΦ24mmX8mm	120mT	1.57kgf
	FR0008	Anisotropic Ferrite	Φ50mmXΦ16mmX10mm	110mT	2.73kgf
	FR0038	Anisotropic Ferrite	Φ55mmXΦ24mmX12mm	120.1mT	4.57kgf
	FR0005	Anisotropic Ferrite	Φ60mmXΦ26mmX9mm	98mT	2.71kgf
	FR0006	Anisotropic Ferrite	Φ70mmXΦ32mmX8mm	85mT	2.63kgf
	FR0009	Anisotropic Ferrite	Φ70mmXΦ32mmX10mm	100mT	3.46kgf
	FR0018	Anisotropic Ferrite	Φ80mmXΦ40mmX10mm	95mT	3.72kgf
	FR0019	Anisotropic Ferrite	Φ80mmXΦ40mmX12mm	105mT	4.61kgf
	FR0007	Anisotropic Ferrite	Φ100mmXΦ60mmX15mm	120mT	6.37kgf
	FR0021	Anisotropic Ferrite	Φ100mmXΦ60mmX20mm	135mT	8.43kgf
	FS0025	Anisotropic Ferrite	5mmX5mmX5mm	142.9mT	0.111kgf
	FS0026	Anisotropic Ferrite	9mmX4mmX2mm	93.9mT	0.081kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	FS0027	Anisotropic Ferrite	10mmX5mmX5mm	138.3mT	0.185kgf
	FS0028	Anisotropic Ferrite	11mmX9mmX4mm	107.3mT	0.207kgf
	FS0029	Anisotropic Ferrite	12mmX7mmX3mm	94mT	0.174kgf
	FS0030	Anisotropic Ferrite	12mmX12mmX2mm	53.6mT	0.159kgf
	FS0031	Anisotropic Ferrite	13mmX9mmX5mm	118.3mT	0.284kgf
	FS0032	Anisotropic Ferrite	14mmX6mmX2mm	73.4mT	0.153kgf
	FS0033	Anisotropic Ferrite	16mmX10mmX5mm	110.9mT	0.347kgf
	FS0034	Anisotropic Ferrite	18mmX5mmX2mm	81.1mT	0.202kgf
	FS0036	Anisotropic Ferrite	19mmX10mmX4mm	92.2mT	0.388kgf
	FS0037	Anisotropic Ferrite	20mmX10mmX3mm	72.9mT	0.336kgf
	FS0005	Anisotropic Ferrite	20mmX10mmX4mm	91.3mT	0.41kgf
	FS0038	Anisotropic Ferrite	20mmX10mmX5mm	106.4mT	0.447kgf
	FS0010	Anisotropic Ferrite	20mmX10mmX8mm	137.4mT	0.62kgf
	FS0006	Anisotropic Ferrite	20mmX12mmX4mm	83.2mT	0.439kgf
	FS0011	Anisotropic Ferrite	20mmX15mmX7mm	114.1mT	0.64kgf
	FS0039	Anisotropic Ferrite	23mmX12mmX5mm	96.2mT	0.577kgf
	FS0040	Anisotropic Ferrite	24mmX10mmX4mm	89.1mT	0.504kgf
	FS0058	Anisotropic Ferrite	24mmX13mmX7mm	115.8mT	0.701kgf
	FS0041	Anisotropic Ferrite	25mmX6mmX4mm	114.4mT	0.428kgf
	FS0042	Anisotropic Ferrite	25mmX8mmX5mm	114.4mT	0.516kgf
	FS0043	Anisotropic Ferrite	25mmX10mmX4mm	89mT	0.528kgf
	FS0044	Anisotropic Ferrite	25mmX10mmX5mm	103.9mT	0.584kgf
	FS0014	Anisotropic Ferrite	25mmX15mmX7mm	109.1mT	0.812kgf
	FS0045	Anisotropic Ferrite	25mmX16mmX5mm	82.4mT	0.708kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	FS0015	Anisotropic Ferrite	25mmX19mmX5mm	75.2mT	0.757kgf
	FS0046	Anisotropic Ferrite	28mmX15mmX2mm	36.7mT	0.275kgf
	FS0047	Anisotropic Ferrite	30mmX6mmX4mm	114.2mT	0.551kgf
	FS0016	Anisotropic Ferrite	30mmX10mmX5mm	102.6mT	0.733kgf
	FS0048	Anisotropic Ferrite	30mmX15mmX4mm	68.2mT	0.687kgf
	FS0049	Anisotropic Ferrite	30mmX19mmX4mm	58.6mT	0.703kgf
	FS0018	Anisotropic Ferrite	30mmX20mmX3mm	43.5mT	0.496kgf
	FS0019	Anisotropic Ferrite	30mmX20mmX5mm	69.2mT	0.892kgf
	FS0050	Anisotropic Ferrite	30mmX30mmX10mm	100mT	1.81kgf
	FS0051	Anisotropic Ferrite	31mmX28mmX8mm	85.5mT	1.56kgf
	FS0052	Anisotropic Ferrite	35mmX15mmX5mm	79.8mT	0.983kgf
	FS0008	Anisotropic Ferrite	40mmX12mmX6mm	102.6mT	1.21kgf
	FS0053	Anisotropic Ferrite	40mmX20mmX10mm	109.9mT	1.82kgf
	FS0007	Anisotropic Ferrite	40mmX25mmX5mm	55.7mT	1.17kgf
	FS0002	Anisotropic Ferrite	40mmX25mmX10mm	99mT	2.08kgf
	FS0009	Anisotropic Ferrite	40mmX40mmX10mm	79.8mT	2.74kgf
	FS0054	Anisotropic Ferrite	48mmX22mmX10mm	101.6mT	2.38kgf
	FS0003	Anisotropic Ferrite	50mmX20mmX5mm	62.2mT	1.46kgf
	FS0021	Anisotropic Ferrite	60mmX10mmX3mm	68.1mT	1.21kgf
	FS0055	Anisotropic Ferrite	60mmX30mmX10mm	82mT	3.44kgf
	FS0024	Anisotropic Ferrite	100mmX50mmX10mm	52.9mT	6.18kgf
	FS0020	Anisotropic Ferrite	100mmX100mmX5mm	17.4mT	2.33kgf
	FS0004	Anisotropic Ferrite	100mmX100mmX10mm	34.5mT	6.88kgf